

REVISED PLAN NOVEMBER 2021 LOWLAND ACID GRASSLAND

1. INTRODUCTION

Lowland acid grassland typically occurs on nutrientpoor, free-draining soils with a pH ranging from 4 to 5.5. It usually overlies acid rocks such as Hartshill quartzite, or superficial deposits such as sands and gravels, though occasionally it also forms upon postindustrial sites and made-up ground such as embankments, railway siding, disused railways and



Gorse © Camille Newton

spoil heaps within the above geological zones (e.g. <u>Alvecote Pools</u>). The habitat often coexists with lowland heathland habitats, birch scrub or woodland and frequently contains small areas of mire.

Acid grassland habitats include the Sheep's-Fescue – Common Bent – Sheep's Sorrel (U1), Sheep's-Fescue – Common Bent – Heath Bedstraw (U4) and Matt Grass – Heath Bedstraw Grassland (U5) National Vegetation Classification grassland plant communities. Calcifugous plants such as bracken (*Pteridium aquilinum*), foxglove (*Digitalis purpurea*), gorse (*Ulex europaeus*) and wood sage (*Teucrium scorodonia*) are also commonly associated with acid grassland.

Acid grasslands are characteristically species poor and support a few particularly rare plant species in this area. However these habitats contain important elements of the county's biodiversity, e.g. mat grass (*Nardus stricta*), sheep's sorrel (*Rumex acetosella*) and heath-grass (*Danthonia decumbens*). Although poor in vascular plants, they can be rich in fungi, especially defining species such as waxcaps, pinkgills, club fungi and earth-tongues (Wood & Dunkleman, 2017).

Many of the invertebrates that occur in acid grassland are specialist species, which do not occur in other types of grassland locally (though some will use calcareous grasslands or coastal dunes elsewhere) and a good number of Nationally Scarce and Regionally Scarce species rely heavily upon acid grassland. Insect species using this habitat include the dingy mocha moth (*Cyclophora pendularia*) and green hairstreak butterfly (*Callophrys rubi*). The open, dry acid grasslands, on sandy soils in particular, can support a considerable number of ground-dwelling and burrowing invertebrates such as solitary bees and wasps. Any rough grassland associated with this habitat would be valuable for barn owls (*Tyto alba*).

As with other lowland semi-natural grassland types, acid grassland has undergone a substantial decline in the 20th century. The decline is mostly due to agricultural intensification. Locally, a large proportion of sites were lost prior to this time through urban development during the 19th century. Later significant losses came from afforestation and succession to scrub and woodland. Further development and conversion to amenity

www.warwickshirewildlifetrust.org.uk

Warwickshire, Coventry and Solihull Local Biodiversity Action Plan

grassland have also been significant. The opportunities afforded by restoration of mineral extraction processes are particularly valuable for this rare habitat.

2.	OBJECTIVES	TARGETS			
As	Associated Action Plans are: 'Open Mosaic Habitats on Previously Developed Land', 'Lowland Heathland', 'Churchyards & Cemeteries', 'Quarries & Gravel Pits', 'Parks & Public Open Spaces', 'Roadside Verges', 'Bats', 'Lapwing', 'Barn Owl', 'Adder' and 'Great Crested Newt'				
	PLEASE CONSULT THE 'GENERIC HABITATS' ACTION PLAN IN CONJUNCTION WITH THIS DOCUMENT FOR OBJECTIVES COMMON TO ALL HABITAT PLANS				
Α.	To restore the 57ha of existing lowland acid grassland above 0.25ha that are currently in unfavourable condition, to favourable or recovering, giving priority to those holding Priority Species* & Red Data Book species. *The UK BAP was succeeded by the <u>'UK Post-2010 Biodiversity Framework</u> (2012-2019)' in July 2012. The UK list of priority species, however, remains an important reference source. Target has been reset from 20ha. in view of progress 2011-2015.	2030			
В.	To expand the extent of the habitat by 11ha.	2030			

3. NATIONAL BAP OBJECTIVES AND TARGETS

Lowland Dry Acid Grassland is on the current UK Biodiversity Action Plan (BAP) list of Priority Habitats published in 2007(<u>Joint Nature Conservation Committee</u>). The targets and objectives for the <u>Lowland Dry Acid Grassland</u> BAP, updated in 2010-11, may be seen online.

4. CURRENT STATUS

Lowland acid grasslands are not extensive in Warwickshire, being mainly associated with heathland, woodland or post-industrial sites. They are largely confined to the acid glacial soils in the north of the County on the Midlands Plateau Natural Area and can be seen as outliers to the very extensive areas of acid grassland in neighbouring counties, e.g. at Sutton Park, <u>Chasewater</u> and particularly <u>Cannock Chase</u>. Lowland acid grassland has been lost from Warwickshire largely as a result of urban development of heathlands in the 19th century.

Baseline data from the 1998-2001 Habitat Biodiversity Audit recorded the total area of acid grassland in Warwickshire, Coventry & Solihull to be 38.2ha, with 13ha unimproved and 25.2ha improved. However, figures from the HBA in 2012 were 72.75ha, with 2.44ha unimproved and 70.31ha semi- improved. This apparent doubling of the area may reflect an increase in the area of the habitat and/ or an increase in the level of recording. By 2015 restoration at SSSIs had increased the area of the habitat by 7.55ha. = 80.45ha

The total resource within <u>Sites of Special Scientific Interest</u> (SSSI) is 1.15ha on 3 sites (2019 data,see chart below). Natural England estimates of acid grassland on SSSIs in Warwickshire, Coventry & Solihull (pers.comm. Anton Irving, 2011) are:

SSSI	Unimproved acid grassland area (ha)	Associated habitat
Coleshill & Bannerley Pools (38ha)	0.4	Woodland
Clowes Wood & New Fallings Coppice (46ha)	0.5	Woodland
Rough Hill & Wirehill Woods (52ha)	0.25	Woodland
Total	1.15ha	

- The largest area of this habitat is the sub-region is approx. 5ha: at Grendon (2ha) and Baddesley Common (3ha), both designated Local Wildlife Sites (LWS). Much of the acid grassland and associated heathland here has developed on restored open cast coal workings since the 1950s but unfortunately is now mainly woodland.
- Fragments of acid grassland, mainly of 0.5ha or less, occur at <u>Burton Dassett Country</u> <u>Park</u> and at the three SSSIs - <u>Clowes Wood</u>, <u>Rough Hill Wood</u> and Coleshill Pool; also at the following designated LWSs: Yarningale Common, Whittleford Park, <u>Kenilworth Common</u>, the Orchard Colliery, Dordon, <u>Coombe Country Park</u>, <u>Longford</u> <u>Park</u>, Kingsbury Colliery spoilheap and the Boons / Jees / Judkins / Midland Quarry area. Some acid grassland occurs in the rides of Poors Wood, Hay Wood and Brandon Wood (all LWS) and at Slough Farm and Whitehall Farm, Hartshill (both designated LWSs in 2011); there is a small area in Castle Bromwich Park. Other fragments may still occur in the Purley Park - Hartshill area and within the quarries and spoilheaps of the Atherstone Ridge. There may be more acid grassland LWS in addition to the 15 listed here but the data is not yet available (Ruth Moffatt, pers.comm. 2021)
- Small areas of acid grassland occur on mounds at the back of Ryton church, Coventry airport, Brandon Wood Farm (WWT, July 2014) and in <u>Abbey Fields</u>, Kenilworth (a potential LWS).

4.1 Legal and Policy Status

A wide range of species and habitats are protected under international and domestic laws, including the <u>Wild Birds Directive</u> (1979), the <u>Wildlife and Countryside Act</u> (1981), the <u>Conservation Regulations</u>(1994) and <u>EC Habitats Directive</u> (1992). Protection of sites is afforded nationally through SSSI, <u>Special Areas of Conservation</u> (SAC) and <u>Local Nature Reserve</u> (LNR) statutory status. Other sites are offered recognition of their value through Local Wildlife Site status (LWS),, Local Character Areas and identified Landscape Scale Areas. The <u>National Planning Policy Framework</u> (2012) chapter/section 11 states conditions with regard to any development negatively affecting biodiversity, including protected sites, ancient woodland and other irreplaceable habitats (paragraph 118). The Wildlife & Countryside Act and schedule 2 of the <u>Conservation of Habitats & Species Regulations</u> (2010) make it an offence to intentionally kill, injure, take, possess, sell, buy or transport a range of species.

Less than 2% of the known area of acid grassland in Warwickshire, Coventry & Solihull is on SSSI land but the largest areas, Grendon and Baddesley Common, Yarningale

Common, land at Coombe Abbey and Priory Fields, Solihull, are all designated LWSs. Work within the LBAP area continues to classify other lowland acid grasslands as LWS which will afford them policy protection within the planning system.

4.2 Current Factors Affecting the Habitat

In the past lowland acid grassland was lost across England primarily to agriculture, forestry, mineral extraction and development. The main factors affecting the habitat in Warwickshire, Coventry and Solihull at present are:

- Encroachment of trees and scrub and the loss of early successional stages due to a lack of conservation management such as light grazing, controlled burning and cutting.
- Fragmentation and isolation as the few sites in Warwickshire are widely scattered. This can result in very small and vulnerable populations of associated insects.
- Lack of public awareness as most lowland acid grassland has been lost to development in the 19th century, and therefore is not part of the public perception of the area.
- **Development of post-industrial sites and disused railway lines** which contain fragments of acid grassland.
- Conversion of some sites to regularly-mown amenity sites especially within urban and suburban areas.
- Agricultural improvement such as intensive fertilizer, lime and herbicide application.

1. LOCAL ACTION

- An accurate digitised database of acid grassland in the sub-region has been established by the Habitat Biodiversity Audit (HBA) and is annually updated.
- Lowland acid grasslands have been identified as a priority habitat for re-creation in the Midlands Plateau Natural Area.
- Groups such as <u>Butterfly Conservation Warwickshire</u> continue to increase our knowledge of the invertebrate assemblages of this habitat category.
- The existing management of most acid grassland sites is known. Favourable condition is being maintained / achieved at the following sites:
 - In 1997 at Grendon and Baddesley Common, the <u>Merevale Estate</u> began a plan to manage Warwickshire's largest lowland acid grassland, and its associated heathland, with financial support of <u>agri-environment schemes</u> administered by Natural England.
 - <u>Warwickshire Wildlife Trust</u> (WWT) is actively managing an area of under 1ha of lowland acid grassland / heathland mosaic at Clowes Wood and Rough Hill Wood SSSIs, also areas at Alvecote outside the SSSI. Smaller fragments of acid grassland / heathland on other sites, e.g. Priory Fields Nature Reserve, are also actively managed by WWT.

- There are <u>Environmental Stewardship Scheme</u> agreements administered by Natural England for the management of acid grassland at Burton Dassett Country Park, near Avon Dassett.
- Acid grassland at Whittleford Park, a 43ha site of an old brick works and good reptile habitat, is being managed by 'The Friends'; connectivity is provided by a railway.
- At <u>Coombe Countryside Park</u> the management of 3.5ha (the 'heathland') has been increased with the removal of rhododendron from 8ha (2012). Grazing by wild rabbits keeps the sward short restricting the ranker grasses. This work continues 2017 with removal also of bramble.
- Restoration has occurred at the following sites:
 - In 2011 Friends of Baddesley Common set up work parties to remove invasive scrub from areas of acid grassland and heather. Pond restoration and creation is also planned at the site. A management plan for the acid grassland and heathland, written by group, has been agreed by Merevale Estate (the land owners). The pond projects have had input from WWT and Pond Conservation Trust (Million Ponds Project) whch helped with funding.
 - In 2011 part of the acid grassland at Abbey Fields, Kenilworth, was reseeded with a donation of £9k from the <u>Friends of Abbey Fields</u> with a mix of flowers suitable for the ground conditions; additional flower plugs have been added over the last 3 years and yellow rattle is added annually. It is cut and baled once a year in August and is a great success. The other area of acid grassland with an increasing population of harebells, is managed as a meadow, also cut and baled once a year.
 - At Coombe Countryside Park there are areas of good quality acid grassland/ heathland with some good indicator plant species; restoration of a further 12ha began in 2014. Removal of the risings has resulted in recolonisation of 0.7ha of Wrautums Field by Acid Grassland /Heathland indicator species, e.g. heath bedstraw (*Galium saxatile*), sheeps sorrel, lesser stitchwort (*Stellaria graminea*), parsley piert (*Aphanes australis*).
 - At Kenilworth Common, WWT has coppiced glades, improving the connectivity with grassland on the railway cutting, and spread native acid seed mix and green hay to increase species diversity.
 - Butterfly Conservation Warwickshire: proposed improvement of acid grassland at Steetley Meadows opposite Brandon Marsh still awaiting biodiversity off setting decision (Mike Slater 2021 pers.comm.).

6. PROPOSED LOCAL ACTIONS

ACTION	Lead	Partners	Ву		
PLEASE CONSULT THE ' GENERIC HABITATS' ACTION PLAN IN CONJUNCTION WITH THIS DOCUMENT FOR ACTIONS COMMON TO ALL HABITAT PLANS					
Policy, Legislation & Protection					
PL1. Ensure that any site meeting the		WSP WWT VCC SMBC CCC	ongoing		

ACTION for WILDLIFE

Warwickshire, Coventry and Solihull Local Biodiversity Action Plan

ACTION	Lea	ad Partners	Ву
PLEASE CONSULT THE ' GENERIC HABITA WITH THIS DOCUMENT FOR ACTIONS			
relevant criteria is considered for designation as an SSSI.			
PL2. Continue to select all qualifying lowland acid grassland sites as LWSs and enter onto database.	LWSP	NE LAs HBA	ongoing
PL3. Ensure that the protection of all acid grassland is included in Local Development Plans, Neighbourhood Plans and any other relevant strategies.	WCC	NE WWT LAs	ongoing
PL4. Ensure that new minor or major developments aim for net biodiversity gain through adherence to the mitigation hierarchy, in view of previous high losses of acid grassland.	WCC	NE LPAs WWT NWBC NBBC	ongoing
Site / Species Safeguard & Management			
SM1. Maintain the 24ha of acid grassland already in favourable condition by ensuring the appropriate management of all sites.	CSG	NE WWT CFE NBBC WBRC WDC CCP LAs LOs NWBC	ongoing
SM2. Continue restoration of 25ha of existing acid grassland in unfavourable condition by 2025 and a further 32ha by 2030, by appropriate management.	CSG	NE WWT CFE NBBC WBRC WDC CCP LAs NWBC LOs	2025- 2030
SM3. Continue restoration of degraded acid grassland at the three SSSIs and any sites in agri-environment schemes.	NE	WWT LAS LOS	ongoing
SM4. Expand the area of acid grassland by 5ha by 2025 and a further 6ha by 2030, ideally aiming for some larger sites of at least 1 ha.	CSG	WWT WCC CCP FoGs LAs LOs QOs	2025- 2030
Advisory			
A1. Inform landowners of their acid grassland resource and provide management advice, sources of machinery, etc.	NE	WCC WWT	ongoing
A2. Signpost Best Practice Guidelines to appropriate landowners via agri-environment schemes.	NE	CFE	ongoing

www.warwickshirewildlifetrust.org.uk

Warwickshire, Coventry and Solihull Local Biodiversity Action Plan

Research & Monitoring			
RM1. Survey and map digitally all areas of acid grassland and heathland to establish a true baseline of data for these, often co-existing, habitats.	HBA	LWSP WWT WCC LOs LAs	ongoing
RM2. Identify sites for potential expansion of acid grassland.	HBA	NE LAS WCC NAM WWT	ongoing
RM3. Identify plant indicator species to establish criteria for assessing the quality of acid grassland habitat.	HBA	NE WCC BCW LWSP	Achieved
RM4. Use indicator species criteria for monitoring acid grassland condition and expansion every 5 years particularly on LWS.	HBA	NE WWT BCW LWSP	ongoing

Abbreviations: BCW – Butterfly Conservation Warwickshire, CCC – Coventry City Council, CCP – Coombe Country Park, CFE – Campaign for the Farmed Environment, CSG – Core Steering Group, FoGs – 'Friends of' Groups, HBA – Habitat Biodiversity Audit partnership, LAs – Local Authorities, LOS – Landowners, LPAs – Local Planning Authorities, LWSP – Local Wildlife Sites Project, NBBC – Nuneaton & Bedworth Borough Council, NE – Natural England, NWBC – North Warwickshire Borough Council, SMBC – Solihull Metropolitan Borough Council, WBRC – Warwickshire Biological Record Centre, WCC – Warwickshire County Council, WDC – Warwick District Council, WWT – Warwickshire Wildlife Trust.

7. PROGRESS WITH ACTIONS

From 2015–2020 there will be a rolling programme of reporting on progress, of 10 action plans per year with an annual summary of results. Progress with this plan up to 2015 can be seen at <u>https://www.warwickshirewildlifetrust.org.uk/LBAP</u>

8. BIBLIOGRAPHY

Kirby, P. (1992). <u>Habitat management for Invertebrates</u>: a Practical Handbook. RSPB.

Falk, S.J. (2009) Warwickshire's Wildflowers - provides habitat-specific species lists, and explanations of habitats from a botanical viewpoint.

Treweek Environmental Consultants (2009) Regional Spatial Strategy (R.S.S.) Phase 3 Regional Habitats Targets Review, Technical Report pp.71-94, prepared for the W. Midlands Regional Assembly.

Lawton, J.H. (2010) <u>Making Space for Nature</u>: a review of England's wildlife sites and ecological network. Report to Defra, advocating a landscape-scale approach guided by four key principles, summarised as '*more, bigger, better and joined*'.

DEFRA (2011) <u>Biodiversity 2020</u>: A strategy for England's wildlife and ecosystem services.

Natural England (2006). <u>Priority Habitat Inventory (England)</u> - habitat surveillance pilots and inventory updates are part of the ongoing monitoring projects carried out by Natural England.

HBA (2013) The State of the Habitats of Warwickshire, Coventry and Solihull.

RSPB (2016) <u>State of Nature</u> – a stocktake of all our native wildlife by over 50 wildlife organisations.

Natural England (2016) <u>Conservation Strategy for the 21st Century.</u> Sets out how NE will help deliver DEFRA's ambitions for the environment to reverse biodiversity loss, sustain distinctive landscapes and enhance engagement with nature.

Wood, E. & Dunkleman, J. (2017) Grassland fungi: A Field Guide.

Worldwide Fund for Nature (2018) <u>The Living Planet Report:</u> aiming higher. Published in collaboration with the Zoological Society of London.

9. FURTHER INFORMATION

Habitat Biodiversity Audit (HBA) for Warwickshire, Coventry & Solihull – mapping data set and associated information. Phase 1 (\underline{JNCC}) 1996-2002 and Phase 2 (Local Wildlife Sites) ongoing.

Statutory conservation agencies, WWT, <u>Royal Society for the Protection of Birds</u> (RSPB) and <u>Warwickshire Museum</u> staff can provide advice on appropriate management, restoration and expansion of lowland acid grasslands.

Biodiversity Planning Toolkit - a new online resource to help incorporate biodiversity and geodiversity into the planning system and new development.

<u>Buglife</u> - the Invertebrate Conservation Trust (2004) – provides information on the habitat-management requirements of key invertebrates - CD-Rom available.

<u>Natural England</u> (2005). The Importance of Livestock Grazing for Wildlife Conservation.

<u>Grazing Animals Project</u> - provides advice on managing wet grasslands for birds, and other information on grazing.

The <u>Grasslands Trust</u> was established in 2002 to address the crisis facing our wildflower-rich grasslands.

<u>Plantlife</u> - a charity which carries out plant species and habitat conservation, owns and manages nature reserves, campaigns, and raises awareness through education.

<u>Nature After Minerals</u> provides advice on creating and managing different grassland habitats.

10. CONTACT

David Lowe, Team Leader, Ecology, Historic Environment & Landscape, Community Services, PO Box 43, Warwick, CV34 4SX. Tel. 01926 418060. Email: <u>davidlowe@warwickshire.gov.uk</u>